
STATE OF UTAH

| | | | | | | , GAS AND M | | | | AMENDED RE | PORT | | |
|--|---------------------------|---|--|---|-------------|---|--|--------|--|--------------|-------------|----------|--|
| APPLICATION FOR PERMIT TO DRILL | | | | | | | | | 1. WELL NAME and NUMBER Ute Tribal 13-18-4-1E | | | | |
| 2. TYPE OF WORK DRILL NEW WELL REENTER P&A WELL DEEPEN WE | | | | | | 3. FIELD OR WILDCAT WINDY RIDGE | | | | | | | |
| 4. TYPE OF WELL Oil Well Coalbed Methane Well: NO | | | | | | | | | 5. UNIT or COMMUNITIZATION AGREEMENT NAME | | | | |
| 6. NAME OF OPERATOR NEWFIELD PRODUCTION COMPANY | | | | | | | | | 7. OPERATOR PHONE 435 646-4825 | | | | |
| 8. ADDRESS OF OPERATOR Rt 3 Box 3630 , Myton, UT, 84052 | | | | | | | | \neg | 9. OPERATOR E-MAIL mcrozier@newfield.com | | | | |
| 10. MINERAL | L LEASE NUMBER | I1. MINERAL OWNERSHIP | | | | | 12. SURFACE OWNERSHIP | | | | | | |
| (FEDERAL, | INDIAN, OR STATE 20G | FEDERAL INDIAN (STATE FEE | | | |) | FEDERAL INDIAN STATE FEE | | | | | | |
| 13. NAME OF SURFACE OWNER (if box 12 = 'fee') Deveraux Living Trust | | | | | | | | | 14. SURFACE OWNER PHONE (if box 12 = 'fee') | | | | |
| 15. ADDRESS OF SURFACE OWNER (if box 12 = 'fee') 2378 W 7575 S, West Jordan, UT 84084 | | | | | | | | | 16. SURFACE OWNER E-MAIL (if box 12 = 'fee') | | | | |
| | ALLOTTEE OR TR | | B. INTEND TO COMMINGLE PRODUCTION FROM ULTIPLE FORMATIONS | | | | 19. SLANT | | | | | | |
| (if box 12 = 'INDIAN') | | | | YES (Submit Commingling Application) NO | | | |) | VERTICAL DIRECTIONAL HORIZONTAL | | | | |
| 20. LOCATION OF WELL | | | FO | FOOTAGES | | TR-QTR | SECTION | | TOWNSHIP | RANGE | | MERIDIAN | |
| LOCATION AT SURFACE | | | 440 FSL 769 FEL | | | SESE | 13 | | 4.0 S | 1.0 W | | U | |
| Top of Uppermost Producing Zone | | | 660 FS | L 660 FWL | | SWSW | 18 | | 4.0 S | 1.0 E | | U | |
| At Total Depth 660 F | | | . 660 FWL SWSW | | 18 | | 4.0 S | 1.0 E | 1.0 E U | | | | |
| 21. COUNT | Y Uli | 22. DISTANCE TO NEAREST LEASE LINE (Feet) 660 | | | | | 23. NUMBER OF ACRES IN DRILLING UNIT 40 | | | | | | |
| | | | 5. DISTANCE TO NEAREST WELL IN SAME POOL Applied For Drilling or Completed) 1320 | | | | 26. PROPOSED DEPTH MD: 7348 TVD: 7185 | | | | | | |
| 27. ELEVATION - GROUND LEVEL 4945 | | | | 28. BOND NUMBER RLB0010462 | | | | | 29. SOURCE OF DRILLING WATER / WATER RIGHTS APPROVAL NUMBER IF APPLICABLE 437478 | | | | |
| | | | Hole, Cas | ing, and | Cement Info | rmation | | | | | | | |
| String | Hole Size | Casing Size | | Weight | | & Thread | Max N | | | Sacks | Yield | Weight | |
| SURF | 7.875 | 8.625 5.5 | 0 - 500 | | | 55 ST&C 80 LT&C | | 9.0 | Class G 35/65 Poz | 203 z 256 | 1.17 3.5 | 15.8 | |
| | | | | | | | | | 50/50 Poz | z 420 | 1.35 | 14.0 | |
| ATTACHMENTS | | | | | | | | | | | | | |
| VERIFY THE FOLLOWING ARE ATTACHED IN ACCORDANCE WITH THE UTAH OIL AND GAS CONSERVATION GENERAL RULES | | | | | | | | | | | | | |
| WELL PLAT OR MAP PREPARED BY LICENSED SURVEYOR OR ENGINEER | | | | | | COMPLETE DRILLING PLAN | | | | | | | |
| AFFIDAVIT OF STATUS OF SURFACE OWNER AGREEMENT (IF FEE SURFACE) | | | | | | FORM 5. IF OPERATOR IS OTHER THAN THE LEASE OWNER | | | | | | | |
| DIRECTIONAL SURVEY PLAN (IF DIRECTIONALLY OR HORIZONTALLY DRILL | | | | | | TOPOGRAPHICAL MAP | | | | | | | |
| NAME Man | die Crozier | TITLE Regulatory Tech Pi | | | PHON | ONE 435 646-4825 | | | | | | | |
| SIGNATUR | E | DATE 02/26/2014 EM. | | | | EMAI | AIL mcrozier@newfield.com | | | | | | |
| | er assigned 1754321000 | APPROVAL | APPROVAL | | | | , coggill | | | | | | |
| | | | Permit Manager | | | | | | | | | | |



T4S, R1E, U.S.B.&M. NEWFIELD EXPLORATION COMPANY TARGET BOTTOM HOLE, 13-18-4-1E, NS88°52'15"E - 2642.08' (Meas.) N88°42'21"E - 2725.44' (Meas.) LOCATED AS SHOWN IN THE SW 1/4 Marked Marked SW 1/4 (LOT 4) OF SECTION 18, T4S, Northwest Corner Set Stone Set Stone Sec. 18 (Angle Point) R1E, U.S.B.&M. UINTAH COUNTY, UTAH. 1959 Galv. Šteel Cap Lot 1 500, $\overline{}$ BAR SCALE 5336.09' (Meas.) 1. Well footages are measured at right Lot 2 angles to the Section Lines. 2. Bearings are based on Global RPositioning Satellite observations. Marked Set Stone Proportioned 1 Not Set S00°49'29"E = SECTION CORNERS LOCATED Lot 3 PREPARED FROM FIELD OF ACTUAL SAME ARE THE SAME ARE TRUE AND CORRECT TO THE OF MY KNOWLEDGE AND BEING. 189377 Bottom TARGET BOTTOM HOLE: of Hole 13-18-4-1E 660' 1444.16 N80°58'39"E TE OF UTAL Lot 4 Marked Marked Set Stone Set Stone N88°59'22"E - 2644.73' (Meas.) TRI STATE LAND SURVEYING & CONSULTING 2749.94' (Meas. to True) Southwest C.C. Sec 18 2749.70' (Meas. to C.C.) 180 NORTH VERNAL AVE. - VERNAL, UTAH 84078 Angle Point Set Stone N88°54'36"E (435) 781-2501Restablished Using Single Proportion DATE SURVEYED: SURVEYED BY: Q.M. VERSION: Method (Not Set) 03 - 08 - 13NAD 83 (BOTTOM HOLE LOCATION) LATITUDE = 40°07'46.33" LONGITUDE = 109°55'59.11" DATE DRAWN: BASIS OF ELEV; Elevations are based on an N.G.S. DRAWN BY: F.T.M. NAD 27 (BOTTOM HOLE LOCATION) 04 - 22 - 13OPUS Correction. LOCATION: LAT. 40°04'09.56" LONG. LATITUDE = $40^{\circ}07'46.47'$ LONGITUDE = $109^{\circ}55'56.58'$ REVISED: SCALE: 1" = 1000'110°00'43.28" (Tristate Aluminum Cap) Elev. 5281.57'